



United Technologies  
turn to the experts

# THE POWER OF NEXT GEN TECHNOLOGY

RESIDENTIAL AIR CONDITIONERS 2018



**Rest  
Assured**



# CARRIER THE INVENTOR

In 1902, Willis Carrier solved one of mankind's most elusive challenges by controlling the indoor environment through modern air conditioning. His invention enabled countless industries, promoting global productivity, health and personal comfort. For more than a century, our research, expertise and forethought has resulted in market-leading innovations.

Today, Carrier's innovative air conditioning solutions are found across the globe and in virtually every facet of daily life. We have been creating comfortable and productive indoor environments, regardless of the climate outside. And these innovations mark just a handful of ways in which Carrier makes the world a better place to live, work and play.

# THE NEXT BIG LEAP IN COOLING TECHNOLOGY

This revolutionary cooling technology uses a combination of air and refrigerant to cool your home like never before.



\*Design registered by Carrier Midea India.

# FEATURES



## HIGH AMBIENT WORKING

(Powerful cooling even at 55°C for 2/3 star; 52°C for 5 star)



## LOW VOLTAGE OPERATION

(Works uninterruptedly even at low Voltage of 195V)



## COMPRESSOR WARRANTY



## DURABLE INVERTER OUTDOOR PCB



## STABILIZER FREE OPERATION

(Works efficiently between 150-280V\* even at 48°C. Applicable on all models except the 12K/3 star which can work at 155-253V)

## **THE HYBRIDJET ADVANTAGE:**

### **1. EFFICIENT AT HIGH AMBIENT TEMPERATURE**

It uses newly designed hybrid cooling. In this, air cooling is used for the compressor and the refrigerant pipe utilizes low-temperature refrigerant to cool the outdoor E-box efficiently, which helps to improve product performance even at a high ambient temperature of 55 degrees.

### **2. UNINTERRUPTED COOLING**

Equipped with state-of-the-art technology, it never gets interrupted even at the low voltage of 195V and high ambient temperature. This gives the consumers uninterrupted cooling.

### **3. POWERFUL AND DURABLE DESIGN**

HYBRIDJET has an innovative design that helps in cooling the temperature more efficiently. The best-in-class performance and fast indoor cooling are the advantages of the design.


### **4. STABILIZER FREE OPERATION**

The entire range of inverters except the 12K/3 star can work efficiently between 150V-280V even at a temperature of 48 degrees without stabilizer.

Available in 3kW (1.0) category & 5kW (1.5) category.  
Available with Emperia, Austra, Superia Pro,  
Octra Pro, Ester, Esko, Estar series.

# BETTER HIGH TEMPERATURE PERFORMANCE

## Refrigerant Pipe Radiator



From the condenser

### HIGH AMBIENT WORKING:

Newly designed hybrid cooling gives powerful performance even at 55°C



1800 3011 1111





# ROUND-THE-CLOCK CARE. THE CARRIER ADVANTAGE.



DAY



NIGHT



WIND



RAIN




WINTER



SUMMER

At Carrier, we are always ready to provide round-the-clock service, just in case you need it. Our dedicated assistance team will swing into action immediately to respond to any emergency call and reach your doorstep in no time. So be it good weather or bad, 3 PM or 3 AM. Be it monsoon rains or sweltering summers. Or even in the middle of a wintry night. We are always with you. Round-the-clock.



360°  
AIRFLOW



TOP AIR  
DISCHARGE



33% BIGGER  
CONDENSER\*



10% MORE  
EFFICIENT\*



40% SPACE  
SAVING\*

Available in selected cities only.  
\*Terms & conditions apply. Refer to company website [www.carrierindia.com](http://www.carrierindia.com)

# POWERFUL INSIDE. BEAUTIFUL OUTSIDE.

Carrier's CYCLOJET is India's first outdoor AC unit that has a unique cylindrical design. This innovative design solution enhances performance and efficiency while easily fitting into any corner of your home.

## THE CYCLOJET ADVANTAGE:

### 1. INNOVATIVE DESIGN

CYCLOJET's unique cylindrical design is an 'Industry first' in home air conditioning solutions. The 360 degree flow of air gives the best in-class performance and helps cool indoor temperatures faster.

### 2. SLICK, STATE-OF-THE-ART AND SILENT

CYCLOJET dissipates hot air vertically - it doesn't feel hot even if you're standing next to it. Strategically placed rubber grommets and extra thick insulation also ensure reduced vibrations and noise.

### 3. BETTER CONDENSER

A bigger\* and better quality condenser with a 360° air suction ensures that every Carrier AC that comes fitted with a CYCLOJET outdoor unit is 10% more efficient than conventional outdoor units.

### 4. COMPACT

CYCLOJET takes up to 40% lesser space, making it easier to install, maintain and maneuver. Designed specifically for India, it's great for houses that have a space constraint.

### 5. EFFICIENCY IN ALL WEATHER

The machine comes equipped with an F-class and IP-44 waterproof motor. Hence, it is more reliable and dependable even under the most extreme weather conditions.

# THIRD PARTY TEST REPORTS

TEST REPORT			
PM 2.5 Filter Testing Report			
Report Code: MS: 151117-01		Issue Date: 21/11/2017	
Issued To		: Enviro Care Product LLP, E-1, Site B, Surajpur Industrial Area, Greater Noida, U.P.	
Date of Entry	:	15/11/2017	
Material Tested	:	PM 2.5 Filter for Carrier Midea	
Job Start Date	:	15/11/2017	
Sample Code	:	For Lab Testing	
Job Completion date	:	21/11/2017	
Laboratory Environment Temperature	:	25 ± 2°C	
Relative Humidity: - RH	:	65 ± 5%	
TEST RESULT			
S.No.	Test Name	Test Method	Result (%)
1.	PMS5 Filtration Efficiency	ASHRAE 52.2-1999	99.1
<b>Notes:</b> 1. The results given above are related to the tested sample, as received & mentioned Parameters. 2. Responsibility of the Laboratory is limited to the mentioned amount only. 3. This test report will not be generated again, either wholly or in part, without prior written Permission of the laboratory.			
Checked by		Authorized Signatory	

TEST REPORT			
Anti-Oxidant Analysis			
Report Code: BT-151117-01		Issue Date: 21/11/2017	
Issued To		: Enviro Care Product LLP, E-1, Site B, Surajpur Industrial Area, Greater Noida	
PART A: Particulars of Sample submitted			
A.	Sample Description	:	Hyper Protection Filter for Carrier Midea
B.	Quantity	:	Two Sample
C.	Date of Sample Received	:	15/11/2017
D.	Date of Commencement of Testing	:	15/11/2017
E.	Date of completion of Testing	:	21/11/2017
TEST RESULT			
S.No.	Parameter	Results	Units
1.	DPPH Assay (Antioxidant Activity)	92.4	% GAE
<b>Remark:</b> On the basis of above tested parameter it is concluded that sample having Antioxidant activity to removes bad odors, smoke and hazardous particles from the Air.			
<b>Notes:</b> 1. The results given above are related to the tested sample, as received & mentioned parameters. The restriction related to the above tests only. 2. Responsibility of the Laboratory is limited to the mentioned amount only.			
Checked by		Authorized Signatory	

TEST REPORT			
PM 2.5 Filter Testing Report			
Report Code: MS: 111017-01		Issue Date: 18/10/2017	
Issued To		: JM Electro & Communication India Pvt Ltd, C/o S B Fabs, 74, Sec 3, HSIIDC, Bawal, Rewari (Haryana) 123801	
Date of Entry	:	11/10/2017	
Material Tested	:	PM 2.5 and 1.0 Filter	
Job Start Date	:	13/10/2017	
Sample Code	:	For Lab Testing	
Job Completion date	:	18/10/2017	
Laboratory Environment Temperature	:	25 ± 2°C	
Relative Humidity: - RH	:	65 ± 5%	
Customer Name	:	Carrier Midea India Pvt Ltd.	
TEST RESULT			
S.No.	Test Name	Test Method	Result (%)
1	PMS5 Filtration Efficiency	ASHRAE 52.2 - 1999	98.3
2	PM 1.0 Filtration	ASHRAE 52.2 - 1999	97.9
			
<b>Notes:</b> 1. The results given above are related to the tested sample, as received & mentioned Parameters. 2. Responsibility of the Laboratory is limited to the mentioned amount only. 3. This test report will not be generated again, either wholly or in part, without prior written Permission of the laboratory.			
Checked by		Authorized Signatory	

# PM 2.5 FILTER

Particulate matter 2.5, or PM 2.5, is composed of tiny particles dispersed in the air that are less than two and a half microns in width. Long term exposure to these particles has been associated with an increased rate of chronic bronchitis, a reduced lung function and an increased mortality rate from lung cancer and heart disease. People with breathing and heart problems, children, and the elderly can be particularly sensitive to PM 2.5.

The Intelligent PM 2.5 Filter (i-PM 2.5) is a transparent filter for indoor air protection that uses natural passive ventilation to effectively protect the quality of indoor air. It has been developed using an Activated Carbon fabric and silver mesh, which filters out all bacteria sized 2.0  $\mu\text{m}$  in length and 0.25-1.0  $\mu\text{m}$  in diameter. Besides the strong antibacterial property of silver, this filter has been specially designed based on the size variations of these micro-organisms.

By controlling the surface chemistry, we are able to increase the capturing possibilities due to the microstructure of air filters. This also enables strong PM adhesion, with greater than 95.00% removal of PM 2.5 under extremely hazardous air-quality conditions.

# CARRIER INVERTER

## DC INVERTER



NEXGEN DEHUMIDIFIER



QUICKLY ACHIEVES DESIRED TEMPERATURE



STABILIZER FREE OPERATION



ENVIRONMENT FRIENDLY



SILENT OPERATION



HIGH ENERGY SAVINGS AND LOW ELECTRICITY BILLS



ADVANCED FILTRATION SYSTEM



MY MODE



IN-HOUSE MANUFACTURING



LARGE OUTDOOR FANS



HIGH ENERGY EFFICIENCY



COMFORT



REFRIGERANT LEAKAGE DETECTOR



ECONOMIC SLEEP MODE



HIGH AMBIENT WORKING\* (Even at 55°C)

\*Except for Durfaresh, which works even at 52°C.

## **CARRIER INVERTERS PROVIDE A RANGE OF ADVANTAGES OVER CONVENTIONAL ACs:**

With spiraling energy costs, staying comfortable during extreme temperatures can sometimes cost a fortune! Carrier Inverter ACs have been designed keeping exactly this in mind; to meet critical requirements and combat the operating cost while providing efficient and customised air conditioning.

Packed with advanced features, Carrier Inverters automatically adjust their capacity based on the requirement of the room they are cooling - drawing lesser power and consuming lesser units of electricity. When we look at conventional air conditioners, they consume most of their energy to start up whereas Carrier Inverter air conditioners regulate and adjust their speed depending on the temperature requirement, which results in lesser energy consumption.

# BENEFITS

Packed with advanced features, Carrier's range of ACs comes with many advantages.

## DEPENDABILITY

With its detectors and safeguards, this AC ensures safety and durability. In case anything goes wrong with the AC, it shuts off automatically.

## CONVENIENCE

Equipped with intelligent alerts, timers and different modes, this AC is extremely convenient.

## WELL-BEING

This AC is equipped with advanced filters and cleaners providing you purer air. The ionizers present in it disinfect and diminish the bad smell, keeping you fit.



# CONVENIENCE



## INTELLIGENT CRF ALERT

The Intelligent CRF (Cleaning and Replacement) Alert can be used throughout all seasons to protect your air conditioner from damage.



## i-SENSOR

This function revises the difference between the temperature sensed by indoor unit and actual floor temperature due to different installation heights of the indoor unit.



## NEXGEN DEHUMIDIFIER

The NexGen Dehumidifier allows the air conditioner to reduce the humidity of a specific room, while keeping the room at a comfortable temperature.



## SLEEP MODE

An energy-saving mode, it gradually increases the temperature while you sleep and consequently lowers your power bill.



## 24X7 TIMER

The unit can run on automatic mode using the 24-hour timer, which programs the unit to start and stop at pre-assigned times.



## FOLLOW ME

When this feature gets activated, it allows the air conditioner to adjust to the ambient temperature around the remote control.



## MY MODE

MY MODE allows you to save your preferred mode, temperature & fan speed settings, and activate them at the click of a button.



## STEP COOLING

Carrier Inverter air conditioner offers you three options for operating power — 50%, 75% and 100%, which allow you to adjust the energy consumption level.

# DEPENDABILITY



## REFRIGERANT LEAKAGE DETECTOR

The early warning system detects refrigerant leakage and immediately turns the AC off while simultaneously displaying the relevant error code.



## AUTO DETECTOR

If the unit malfunctions for any reason, it will shut off automatically while indicating the relevant error code on the indoor unit.



## RUST SAFEGUARD

Equipped with five unique layers of protective coating to ensure complete protection from rust, the AC cabinet can withstand extreme weather conditions.



## HYDROPHILIC BLUE FINNS

The hydrophobicity in the evaporator blue fins doesn't allow condensed water to a reduced accumulation of dust particles and improves the cooling performance of the AC.





# WELL-BEING



## PM 2.5 FILTER

Particulate matter 2.5, or PM 2.5, is composed of tiny particles dispersed in the air that are less than two and a half microns in width. Exposure to these particles, over a long term, has been associated with an increased rate of chronic bronchitis, a reduced lung function and an increased mortality rate from lung cancer and heart disease.

It has been developed using an Activated Carbon fabric and silver mesh, which filters out all bacteria

sized  $2.0 \mu\text{m}$  in length and  $0.25\text{-}1.0 \mu\text{m}$  in diameter.


By controlling the surface chemistry we are able to increase the capturing possibilities due to the microstructure of air filters.



## MULTI-STAGE CLEANSER

To prevent the breeding of bacteria inside the unit, this function ensures that there is no dust or water retained inside. This disinfects the indoor unit and ensures that all traces of bacteria are removed.

# DURAFRESH



## FEATURES



AIR DIRECTION CONTROL



SECURITY LOCK



LED ICON DISPLAY



REFRIGERANT LEAKAGE DETECTOR



ECONOMIC SLEEP MODE



AUTO RESTART



LOUVER POSITION MEMORY



DRY MODE



AUTO FAN SPEED



AUTO SWING



AUTO MODE



DOUBLE DRAIN (Easy Installation)



MANUAL ON/OFF BUTTON



AUTO ON TIMER



PM 2.5 FILTER



TURBO MODE



HD FILTER



LCD REMOTE



REMOTE BACKLIT



AUTO OFF TIMER

### **REFRIGERANT LEAKAGE DETECTOR**

The early warning system detects refrigerant leakage and immediately turns the AC off while simultaneously displaying the relevant error code on the indoor unit.

### **AUTO MODE**


When the air conditioner is set on Auto Mode, it automatically selects cooling or fan-only operation depending on the set temperature and room temperature. The air conditioner will control the room temperature automatically to the set temperature point.

Available in:



for 3kW, 5kW and 6kW category

# DURAFRESH-X



## FEATURES



AIR DIRECTION CONTROL



SECURITY LOCK



LED ICON DISPLAY



REFRIGERANT LEAKAGE DETECTOR



ECONOMIC SLEEP MODE



AUTO RESTART



LOUVER POSITION MEMORY



DRY MODE



AUTO FAN SPEED



AUTO SWING



AUTO MODE



DOUBLE DRAIN (Easy installation)



MANUAL ON/OFF BUTTON



AUTO ON TIMER



PM 2.5 FILTER



TURBO MODE



HD FILTER



LCD REMOTE



REMOTE BACKLIT



AUTO OFF TIMER

### **PM 2.5 FILTER**

The PM 2.5 Filter (PM 2.5) is a transparent filter that uses natural passive ventilation to effectively protect the quality of indoor air. It has been developed using Activated Carbon fabric and silver mesh which filters all bacteria sized 2.0 micrometre in diameter. In addition to the strong antibacterial property of silver, this filter has been especially designed based on the size variation of these micro-organisms.

### **REFRIGERANT LEAKAGE DETECTOR**


The early warning system detects refrigerant leakage and immediately turns off the AC while simultaneously displaying the relevant error code on the indoor unit.

Available in:



for 3kW, 5kW and 6kW category

# DURAFRESH 3i



## FEATURES



AIR DIRECTION CONTROL



SECURITY LOCK



LED DISPLAY



REFRIGERANT LEAKAGE DETECTOR



AUTO RESTART



LOUVER POSITION MEMORY



DRY MODE



AUTO FAN SPEED



AUTO SWING



AUTO MODE



REMOTE BACKLIT



REFRIGERANT COOLING PCB (18K & 22K-3&4 star only)



ECO MODE



INTELLIGENT CRF ALERT



HD FILTER



LCD REMOTE



AUTO OFF TIMER



HIGH AMBIENT WORKING (Even at 52°C)



STABILIZER FREE OPERATION (Works efficiently between 170-280V)



### **REFRIGERANT COOLING PCB**

Carrier's high ambient cooling inverter technology, associated with refrigerant radiation technology, can deal with extremely high temperatures, making you feel cool throughout the whole summer.

### **INTELLIGENT CRF ALERT**

The Intelligent CRF (Cleaning and Replacement) Alert can be used throughout all seasons to protect your air conditioner from damage. If you or someone in your family is allergic to dust and mold then keeping your air filters clean and replacing them at regular intervals can drastically reduce the risk of triggering any allergy attack.

Available in:



for 3kW, 5kW and 6kW category

# EMPERIA



Maximum Airflow Range - 36 feet  
 1.0 Ton - 28 feet  
 1.2 Ton - 30 feet  
 1.5 Ton - 31 feet  
 2.0 Ton - 34 feet



## FEATURES

- |   |   |  |   |  |   |  |
|---|---|--|---|--|---|--|
| <br>AIR DIRECTION CONTROL            | <br>SECURITY LOCK        | <br>ECONOMIC SLEEP MODE | <br>REFRIGERANT LEAKAGE DETECTOR | <br>AUTO RESTART  | <br>LOUVER POSITION MEMORY | <br>DRY MODE              |
| <br>AUTO FAN SPEED                   | <br>AUTO SWING           | <br>AUTO MODE           | <br>MY MODE (Favourite Mode)     | <br>PM 2.5 FILTER | <br>LED 7 SEGMENT          | <br>INTELLIGENT CRF ALERT |
| <br>TURBO MODE                       | <br>LCD REMOTE           | <br>REMOTE BACKLIT      | <br>AUTO OFF TIMER               | <br>AUTO ON TIMER | <br>FOLLOW ME              | <br>AUTO CLEANSER         |
| <br>DOUBLE DRAIN (Easy Installation) | <br>MANUAL ON/OFF BUTTON |  |   |  |   |  |

### **PM 2.5 FILTER**

The PM 2.5 Filter (PM 2.5) is a transparent filter that uses natural passive ventilation to effectively protect the quality of indoor air. It has been developed using Activated Carbon fabric and silver mesh which filters all bacteria sized 2.0 micrometre in diameter. In addition to the strong antibacterial property of silver, this filter has been especially designed based on the size variation of these micro-organisms.

### **REFRIGERANT LEAKAGE DETECTOR**

The early warning system detects refrigerant leakage and immediately turns the AC off while simultaneously displaying the relevant error code on the indoor unit.

Available in:



for 3kW, 4kW, 5kW and 6kW category

# EMPERIA 3i/4i/5i



Maximum Airflow Range - 36 feet  
 1.0 Ton - 28 feet  
 1.5 Ton - 31 feet  
 2.0 Ton - 34 feet



## FEATURES



AIR DIRECTION CONTROL



SECURITY LOCK



ECONOMIC SLEEP MODE



REFRIGERANT LEAKAGE DETECTOR



AUTO RESTART



LOUVER POSITION MEMORY



DRY MODE



AUTO FAN SPEED



AUTO SWING



AUTO MODE



TEMP DISPLAY ON/OFF



PM 2.5 FILTER



REFRIGERANT COOLING PCB (18K&22K-3&4 star only)



INTELLIGENT CRF ALERT



MY MODE (Favourite mode)



LCD REMOTE



REMOTE BACKLIT



AUTO OFF TIMER



AUTO ON TIMER



FOLLOW ME



AUTO CLEANSER



LED 7 SEGMENT DISPLAY



STEP COOLING (Only 5 star)



DURABLE INVERTER OUTDOOR PCB



HIGH AMBIENT WORKING (Powerful cooling even at 55°C)



STABILIZER FREE OPERATION (Works efficiently between 150-280V even at 48°C)



COMPRESSOR WARRANTY 10 YEAR



LOW VOLTAGE OPERATION (Works uninterruptedly even at low voltage of 195V)

### **PM 2.5 FILTER**

The PM 2.5 Filter (PM 2.5) is a transparent filter that uses natural passive ventilation to effectively protect the quality of indoor air. It has been developed using Activated Carbon fabric and silver mesh which filters all bacteria sized 2.0 micrometre in diameter. In addition to the strong antibacterial property of silver, this filter has been especially designed based on the size variation of these micro-organisms.

### **REFRIGERANT LEAKAGE DETECTOR**

The early warning system detects refrigerant leakage and immediately turns the AC off while simultaneously displaying the relevant error code on the indoor unit.

Available in:



for 3kW, 5kW and 6kW category

\*Hybridjet is not available with 6kW

# EMPERIA PRO



Maximum Airflow Range - 36 feet  
 1.0 Ton - 28 feet  
 1.2 Ton - 30 feet  
 1.5 Ton - 31 feet  
 2.0 Ton - 34 feet



## FEATURES

- |  |   |  |   |   |   |  |
|--|---|--|---|---|---|--|
| <br>AIR DIRECTION CONTROL               | <br>SECURITY LOCK        | <br>HIDDEN DISPLAY              | <br>REFRIGERANT LEAKAGE DETECTOR | <br>AUTO RESTART  | <br>LOUVER POSITION MEMORY | <br>DRY MODE              |
| <br>AUTO FAN SPEED                      | <br>AUTO SWING           | <br>AUTO MODE                   | <br>TEMP DISPLAY ON/OFF          | <br>PM 2.5 FILTER | <br>ECONOMIC SLEEP MODE    | <br>INTELLIGENT CRF ALERT |
| <br>TURBO MODE                          | <br>LCD REMOTE           | <br>REMOTE BACKLIT              | <br>AUTO OFF TIMER               | <br>AUTO ON TIMER | <br>FOLLOW ME              | <br>AUTO CLEANSER         |
| <br>DOUBLE DRAIN<br>(Easy installation) | <br>MANUAL ON/OFF BUTTON | <br>MY MODE<br>(Favourite mode) |   |   |   |  |

### **INTELLIGENT CRF ALERT**

The Intelligent CRF (Cleaning and Replacement) Alert can be used throughout all seasons to protect your air conditioner from damage. If you or someone in your family is allergic to dust and mold then keeping your air filters clean and replacing them at regular intervals can drastically reduce the risk of triggering any allergy attack.

### **MY MODE (FAVOURITE MODE)**

Staying as cool as you want has never been easier. MY MODE allows you to save your preferred mode, temperature & fan speed settings and activate them at the press of a button. No more beeps!

Available in:



for 3kW, 4kW, 5kW and 6kW category

# EMPERIA PRO 3i/4i/5i



Maximum Airflow Range - 36 feet  
 1.0 Ton - 28 feet  
 1.5 Ton - 31 feet  
 2.0 Ton - 34 feet



## FEATURES

- |  |   |   |   |   |   |  |
|--|---|---|---|---|---|--|
| <br>AIR DIRECTION CONTROL                             | <br>SECURITY LOCK              | <br>ECONOMIC SLEEP MODE          | <br>REFRIGERANT LEAKAGE DETECTOR                         | <br>AUTO RESTART  | <br>LOUVER POSITION MEMORY   | <br>DRY MODE  |
| <br>AUTO FAN SPEED                                    | <br>AUTO SWING                 | <br>AUTO MODE                    | <br>TEMP DISPLAY ON/OFF                                  | <br>PM 2.5 FILTER 3M  | <br>MY MODE (Favourite mode) | <br>INTELLIGENT CRF ALERT   |
| <br>HIDDEN DISPLAY                                    | <br>LCD REMOTE                 | <br>REMOTE BACKLIT               | <br>AUTO OFF TIMER                                       | <br>AUTO ON TIMER   | <br>FOLLOW ME                | <br>AUTO CLEANSER   |
| <br>REFRIGERANT COOLING PCB (18K & 22K-3&4 star only) | <br>STEP COOLING (Only 5 star) | <br>DURABLE INVERTER OUTDOOR PCB | <br>HIGH AMBIENT WORKING (Powerful cooling even at 55°C) | <br>STABILIZER FREE OPERATION (Works efficiently between 150-280V even at 48°C) | <br>COMPRESSOR WARRANTY      | <br>LOW VOLTAGE OPERATION (Works uninterruptedly even at low voltage of 195V) |



### **INTELLIGENT CRF ALERT**

The Intelligent CRF (Cleaning and Replacement) Alert can be used throughout all seasons to protect your air conditioner from damage. If you or someone in your family is allergic to dust and mold then keeping your air filters clean and replacing them at regular intervals can drastically reduce the risk of triggering any allergy attack.

### **REFRIGERANT LEAKAGE DETECTOR**

The early warning system detects refrigerant leakage and immediately turns the AC off while simultaneously displaying the relevant error code on the indoor unit.

Available in:



for 3kW, 5kW and 6kW category

Hybridjet is not available with 6kW category.

# AUSTRA



Maximum Airflow Range - 36 feet  
 1.0 Ton - 28 feet  
 1.2 Ton - 30 feet  
 1.5 Ton - 31 feet  
 2.0 Ton - 34 feet



## FEATURES



AIR DIRECTION CONTROL



SECURITY LOCK



ECONOMIC SLEEP MODE



AUTO RESTART



LOUVER POSITION MEMORY



DRY MODE



AUTO FAN SPEED



AUTO SWING



AUTO MODE



TEMP DISPLAY ON/OFF



PM 2.5 FILTER



MANUAL ON/OFF BUTTON



INTELLIGENT CRF ALERT



LCD REMOTE



REMOTE BACKLIT



AUTO OFF TIMER



AUTO ON TIMER



HIDDEN DISPLAY



DOUBLE DRAIN (Easy installation)



TURBO MODE



REFRIGERANT LEAKAGE DETECTOR

### **PM 2.5 FILTER**

The PM 2.5 Filter (PM 2.5) is a transparent filter that uses natural passive ventilation to effectively protect the quality of indoor air. It has been developed using Activated Carbon fabric and silver mesh which filters all bacteria sized 2.0 micrometre in diameter. In addition to the strong antibacterial property of silver, this filter has been especially designed based on the size variation of these micro-organisms.

### **INTELLIGENT CRF ALERT**

The Intelligent CRF (Cleaning and Replacement) Alert can be used throughout all seasons to protect your air conditioner from damage. If you or someone in your family is allergic to dust and mold then keeping your air filters clean and replacing them at regular intervals can drastically reduce the risk of triggering any allergy attack.

Available in:



for 3kW, 4kW, 5kW and 6kW category

# AUSTRA 3i/4i/5i



Maximum Airflow Range - 36 feet  
 1.0 Ton - 28 feet  
 1.5 Ton - 31 feet  
 2.0 Ton - 34 feet



## FEATURES



AIR DIRECTION CONTROL



SECURITY LOCK



REFRIGERANT LEAKAGE DETECTOR



AUTO RESTART



LOUVER POSITION MEMORY



DRY MODE



AUTO FAN SPEED



AUTO SWING



AUTO MODE



TEMP DISPLAY ON/OFF



PM 2.5 FILTER 3M



ECONOMIC SLEEP MODE



INTELLIGENT CRF ALERT



LCD REMOTE



REMOTE BACKLIT



AUTO OFF TIMER



AUTO ON TIMER



FOLLOW ME



AUTO CLEANSER



MY MODE (Favourite mode)



HIDDEN DISPLAY



REFRIGERANT COOLING PCB (18K & 22K-3&4 star only)



STEP COOLING (Only 5 star)



DURABLE INVERTER OUTDOOR PCB



HIGH AMBIENT WORKING (Powerful cooling even at 55 °C)



STABILIZER FREE OPERATION (Works efficiently between 150-280V even at 48 °C)



COMPRESSOR WARRANTY



LOW VOLTAGE OPERATION (Works uninterruptedly even at low voltage of 195V)

### **REFRIGERANT LEAKAGE DETECTOR**

The early warning system detects refrigerant leakage and immediately turns the AC off while simultaneously displaying the relevant error code on the indoor unit.

### **INTELLIGENT CRF ALERT**

The Intelligent CRF (Cleaning and Replacement) Alert can be used throughout all seasons to protect your air conditioner from damage. If you or someone in your family is allergic to dust and mold then keeping your air filters clean and replacing them at regular intervals can drastically reduce the risk of triggering any allergy attack.


Available in:



for 3kW, 5kW and 6kW category

Hybridjet is not available with 6kW category.

# SUPERIA PRO



## FEATURES

- |  |   |   |  |  |  |   |
|--|---|---|--|--|--|---|
| <br>AIR DIRECTION CONTROL | <br>SECURITY LOCK  | <br>REFRIGERANT LEAKAGE DETECTOR     | <br>AUTO RESTART  | <br>LOUVER POSITION MEMORY | <br>DRY MODE              | <br>AUTO FAN SPEED           |
| <br>AUTO SWING            | <br>AUTO MODE      | <br>TEMP DISPLAY ON/OFF              | <br>PM 2.5 FILTER | <br>ECONOMIC SLEEP MODE    | <br>INTELLIGENT CRF ALERT | <br>LCD REMOTE               |
| <br>REMOTE BACKLIT        | <br>AUTO OFF TIMER | <br>AUTO ON TIMER                    | <br>FOLLOW ME     | <br>AUTO CLEANSER          | <br>MY MODE               | <br>HYPER PROTECTIVE FILTERS |
| <br>MANUAL ON/OFF BUTTON  | <br>HIDDEN DISPLAY | <br>DOUBLE DRAIN (Easy installation) | <br>TURBO MODE    |  |  |   |

### **PM 2.5 FILTER**

The PM 2.5 Filter (PM 2.5) is a transparent filter for indoor air protection that uses natural passive ventilation to effectively protect the quality of indoor air. It has been developed using Activated Carbon fabric and silver mesh which filters all bacteria sized 2.0 micrometre in diameter. Beside the strong antibacterial property of silver, this filter has been especially designed based on the size variation of these micro-organisms.

### **MY MODE (FAVOURITE MODE)**


Staying just as cool as you want has never been easier. MY MODE allows you to save your preferred mode, temperature & fan speed settings and activate them at the click of a button. No more beeps!

Available in:



for 3kW, 5kW and 6kW category

# SUPERIA PRO 3i/4i/5i



## FEATURES



AUTO  
RESTART



HD DISPLAY



REFRIGERANT  
LEAKAGE  
DETECTOR



TURBO MODE



LOUVER POSITION  
MEMORY



HYPER  
PROTECTIVE  
FILTERS



MY MODE



FOLLOW ME



3-in-1  
MICROBES  
FILTER



AUTO CLEANSER



PM 2.5  
FILTER



AUTO  
DETECTOR



RUST  
SAFEGUARD



24x7 TIMER



NEXGEN  
DEHUMIDIFIER



LOW VOLTAGE  
OPERATION  
(Works uninterruptedly  
even at low voltage  
of 195V)



10  
YEAR  
COMPRESSOR  
WARRANTY



DURABLE  
INVERTER  
OUTDOOR PCB



HIGH AMBIENT  
WORKING  
(Powerful cooling  
even at 55° C)



STABILIZER FREE  
OPERATION  
(Works efficiently  
between 150-280V  
even at 48° C)



### **FOLLOW ME**

When this feature is activated, the room sensor of the air conditioner takes a back seat and the inbuilt room sensor that's placed within the remote control gets activated.

This allows the air conditioner to adjust the ambient temperature around the remote control.

### **PM 2.5 FILTER**

The PM 2.5 Filter (PM 2.5) is a transparent filter that uses natural passive ventilation to effectively protect the quality of indoor air. It has been developed using Activated Carbon fabric and silver mesh which filters all bacteria sized 2.0 micrometre in diameter. In addition to the strong antibacterial property of silver, this filter has been especially designed based on the size variation of these micro-organisms.


Available in:



for 3kW, 5kW and 6kW category

Hybridjet is not available with 6kW category.

# OCTRA PRO



## FEATURES



AUTO SWING



HD DISPLAY



REFRIGERANT  
LEAKAGE  
DETECTOR



AUTO  
RESTART



LOUVER POSITION  
MEMORY



INTELLIGENT  
CRF ALERT



FOLLOW ME



SUPER TURBO  
MODE



MY MODE



PM 2.5  
FILTER



SMART  
DIAGNOSIS



HYPER  
PROTECTIVE  
FILTERS



ANTI RUST  
SHIELD



NEXGEN  
DEHUMIDIFIER



24x7 TIMER



SLEEP MODE

### **HYPER-PROTECTIVE FILTER**

The Hyper-Protective Filter has three different properties: anti-allergen, anti-oxidant and negative ions. Together, these properties give you a pure surrounding that's free from allergens, excessive positive ions, and free radicals.

### **MULTI-STAGE CLEANSER**


To prevent the breeding of bacteria inside the unit, this function ensures that there is no dust or water retained inside it. The unit first uses condensed water to remove the dust from the evaporator fins, and then it switches to fan-only mode to blow away the wet air. The whole process disinfects the indoor unit and ensures that all traces of bacteria are removed.

Available in:



for 3kW, 5kW and 6kW category

# OCTRA PRO 3i/4i/5i



## FEATURES



AUTO SWING



HD DISPLAY



REFRIGERANT  
LEAKAGE  
DETECTOR



AUTO  
RESTART



LOUVER POSITION  
MEMORY



S-Turbo  
MODE



FOLLOW ME



24x7 TIMER



MY MODE



PM 2.5  
FILTER



SMART  
DIAGNOSIS



HYPER  
PROTECTIVE  
FILTERS



ANTI RUST  
SHIELD



NEXGEN  
DEHUMIDIFIER



SLEEP MODE



LOW VOLTAGE  
OPERATION  
(Works uninterruptedly  
even at low voltage  
of 195V)



DURABLE  
INVERTER  
OUTDOOR PCB



HIGH AMBIENT  
WORKING  
(Powerful cooling  
even at 55°C)



STABILIZER FREE  
OPERATION  
(Works efficiently  
between 150-280V  
even at 48°C)



10  
YEAR  
WARRANTY

### **ADVANCED E4 IONIZER**

The Advanced E4 Ionizer releases negative ions to disinfect and diminish bad odour in the room, thereby helping you breathe cleaner and purer air.

### **HYPER-PROTECTIVE FILTER**

The Hyper-Protective Filter has three different properties: anti-allergen, anti-oxidant and negative ions. Together, these properties give you a pure surrounding that's free from allergens, excessive positive ions, and free radicals.


Available in:



for 3kW, 5kW and 6kW category

Hybridjet is not available with 6kW category.

# ESTER PRO



## FEATURES



AUTO SWING



LED DISPLAY



LEAKAGE DETECTOR



AUTO RESTART



i-CHECK



RUST FREE CABINET



FOLLOW ME



DEHUMIDIFIER



24x7 TIMER



FAVOURITE MODE



i-CLEANSER



AG+ NANO FILTER



SLEEP MODE



SUPER TURBO MODE



AUTO LOUVER MEMORY

### **i-CLEANSER**

When this function is activated, the indoor unit first operates in cooling mode with a low fan speed. During this period, the condensed water takes the dust from the evaporator fins away. It then turns to fan-only mode and blows away the wet air. This whole process disinfects the indoor unit and ensures that all traces of bacteria are removed.

### **FOLLOW ME**


When this feature gets activated, the room sensor of air conditioner gets replaced by the inbuilt room sensor of the remote control. Hence, the air conditioner will control the room temperature based on the temperature around the remote control.

Available in:



for 3kW, 5kW and 6kW category

# ESTER CYCLOJET



## FEATURES



AUTO  
RESTART



LED  
DISPLAY



REFRIGERANT  
LEAKAGE  
DETECTOR



SUPER TURBO  
MODE



LOUVER POSITION  
MEMORY



AUTO SWING



MY MODE



FOLLOW ME



AUTO CLEANSER



PM 2.5  
FILTER



SLEEP MODE



RUST  
SAFEGUARD



24x7 TIMER



INTELLIGENT  
CRF ALERT



NEXGEN  
DEHUMIDIFIER



AUTO  
DETECTOR



### **SUPER TURBO MODE**

This function helps cool the room faster by continuously operating at the maximum fan speed. In any other machine, the regular 'Turbo Mode' operates for a maximum of 20-30 minutes, whereas the 'Super Turbo Mode' runs continuously. Super Turbo Mode is recommended for effective cooling during high ambient temperatures.

### **INTELLIGENT CRF ALERT**


The Intelligent CRF (Cleaning and Replacement) Alert can be used throughout all seasons to protect your air conditioner from damage. If you or someone in your family is allergic to dust and mold then keeping your air filters clean and replacing them at regular intervals can drastically reduce the risk of triggering any allergy attack.

Available in:



for 3kW, 5kW and 6kW category

# ESTER 3i/4i/5i



## FEATURES



AUTO  
RESTART



AUTO  
DETECTOR



REFRIGERANT  
LEAKAGE  
DETECTOR



TURBO MODE



LOUVER POSITION  
MEMORY



AUTO SWING



MY MODE



FOLLOW ME



AUTO CLEANSER



PM 2.5 FILTER



SLEEP MODE



RUST  
SAFEGUARD



24x7 TIMER



NEXGEN  
DEHUMIDIFIER



DURABLE  
INVERTER  
OUTDOOR PCB



HIGH AMBIENT  
WORKING  
(Powerful cooling  
even at 55°C)



STABILIZER FREE  
OPERATION  
(Works efficiently  
between 150-280V  
even at 48°C)



10  
YEAR  
WARRANTY



LOW VOLTAGE  
OPERATION  
(Works uninterruptedly  
even at low voltage  
of 195V)

### **FOLLOW ME**

When this feature is activated, the room sensor of the air conditioner takes a back seat and the inbuilt room sensor that's placed within the remote control gets activated.

This allows the air conditioner to adjust the ambient temperature around the remote control.

### **REFRIGERANT LEAKAGE DETECTOR**

The early warning system detects refrigerant leakage and immediately turns off the AC while simultaneously displaying the relevant error code on the indoor unit.

Available in:



for 3kW category

# ESKO PRO



## FEATURES



AUTO SWING



LED DISPLAY



LEAKAGE  
DETECTOR



AUTO  
RESTART



I-CHECK



RUST FREE  
CABINET



FOLLOW ME



DEHUMIDIFIER



24x7 TIMER



FAVOURITE  
MODE



I-CLEANSER



AG+ NANO  
FILTER



SLEEP MODE



SUPER TURBO  
MODE



AUTO LOUVER  
MEMORY

### **i-CLEANSER**

When this function is activated, the indoor unit first operates in cooling mode with a low fan speed. During this period, the condensed water takes the dust from the evaporator fins away. It then turns to fan-only mode and blows away the wet air. This whole process disinfects the indoor unit and ensures that all traces of bacteria are removed.

### **FOLLOW ME**


When this feature gets activated the room sensor of air conditioner gets replaced by the inbuilt room sensor of the remote control. Hence, the air conditioner will control the room temperature based on the temperature around the remote control.

Available in:



for 3kW, 5kW and 6kW category

# ESKO CYCLOJET



## FEATURES



AUTO  
RESTART



LED DISPLAY



REFRIGERANT  
LEAKAGE  
DETECTOR



SUPER TURBO  
MODE



LOUVER POSITION  
MEMORY



AUTO SWING



MY MODE



FOLLOW ME



AUTO CLEANSER



PM 2.5 FILTER



SLEEP MODE



AUTO  
DETECTOR



RUST  
SAFEGUARD



24x7 TIMER



INTELLIGENT  
CRF ALERT



NEXGEN  
DEHUMIDIFIER

### **SUPER TURBO MODE**

This function helps cool the room faster by continuously operating at the maximum fan speed. In any other machine, the regular 'Turbo Mode' operates for a maximum of 20-30 minutes, whereas the 'Super Turbo Mode' runs continuously. Super Turbo Mode is recommended for effective cooling during high ambient temperatures.

### **INTELLIGENT CRF ALERT**


The Intelligent CRF (Cleaning and Replacement) Alert can be used throughout all seasons to protect your air conditioning from damage. If you or someone in your family is allergic to dust and mold then keeping your air filters clean and replacing them at regular intervals can drastically reduce the risk of triggering any allergy attack.

Available in:



for 3kW, 5kW and 6kW category

# ESKO 3i/4i/5i



## FEATURES



AUTO  
RESTART



LED  
DISPLAY



REFRIGERANT  
LEAKAGE  
DETECTOR



TURBO  
MODE



LOUVER POSITION  
MEMORY



AUTO SWING



MY  
MODE



FOLLOW  
ME



AUTO  
CLEANSER



PM 2.5  
FILTER



AUTO  
DETECTOR



NEXGEN  
DEHUMIDIFIER



SLEEP  
MODE



RUST  
SAFEGUARD



24x7  
TIMER



DURABLE  
INVERTER  
OUTDOOR PCB



HIGH AMBIENT  
WORKING  
(Powerful cooling  
even at 55°C)



STABILIZER FREE  
OPERATION  
(Works efficiently  
between 150-280V  
even at 48°C)



10  
YEAR  
COMPRESSOR  
WARRANTY



LOW VOLTAGE  
OPERATION  
(Works uninterruptedly  
even at low Voltage  
of 195V)



### **FOLLOW ME**

When this feature is activated, the room sensor of the air conditioner takes a back seat as the inbuilt rooms sensor that's placed within the remote control gets activated.

This allows the air conditioner to adjust the ambient temperature around the remote control.

### **REFRIGERANT LEAKAGE DETECTOR**

The early warning system detects refrigerant leakage and immediately turns off the AC while simultaneously displaying the relevant error code on the indoor unit.


Available in:



for 3kW, 5kW and 6kW category

Hybridjet is not available with 6kW category.

# ESTAR CYCLOJET



## FEATURES



AUTO  
RESTART



LED DISPLAY



REFRIGERANT  
LEAKAGE  
DETECTOR



SUPER TURBO  
MODE



LOUVER POSITION  
MEMORY



AUTO SWING



MY MODE



FOLLOW ME



INTELLIGENT  
CRF ALERT



AUTO CLEANSER



PM 2.5 FILTER



SLEEP MODE



RUST  
SAFEGUARD



24x7 TIMER



NEXGEN  
DEHUMIDIFIER



AUTO  
DETECTOR

### **SUPER TURBO MODE**

This function helps cool the room faster by continuously operating at the maximum fan speed. In any other machine, the regular 'Turbo Mode' operates for a maximum of 20-30 minutes, whereas the 'Super Turbo Mode' runs continuously. Super Turbo Mode is recommended for effective cooling during high ambient temperatures.

### **INTELLIGENT CRF ALERT**


The Intelligent CRF (Cleaning and Replacement) Alert can be used throughout all seasons to protect your air conditioning from damage. If you or someone in your family is allergic to dust and mold then keeping your air filters clean and replacing them at regular intervals can drastically reduce the risk of triggering any allergy attack.

Available in:



for 3kW, 5kW and 6kW category

# ESTAR 3i/4i/5i



## FEATURES



AUTO  
RESTART



LED  
DISPLAY



REFRIGERANT  
LEAKAGE  
DETECTOR



TURBO  
MODE



LOUVER POSITION  
MEMORY



AUTO SWING



MY  
MODE



FOLLOW  
ME



24x7  
TIMER



AUTO  
CLEANSER



AUTO  
DETECTOR



PM 2.5  
FILTER



SLEEP  
MODE



RUST  
SAFEGUARD



NEXGEN  
DEHUMIDIFIER



DURABLE  
INVERTER  
OUTDOOR PCB



HIGH AMBIENT  
WORKING  
(Powerful cooling  
even at 55°C)



STABILIZER FREE  
OPERATION  
(Works efficiently  
between 150-280V  
even at 48°C)



10  
YEAR  
WARRANTY



LOW VOLTAGE  
OPERATION  
(Works uninterruptedly  
even at low Voltage  
of 195V)

### **FOLLOW ME**

When this feature is activated, the room sensor of the air conditioner takes a back seat and the inbuilt room sensor that's placed within the remote control gets activated.

This allows the air conditioner to adjust the ambient temperature around the remote control.

### **REFRIGERANT LEAKAGE DETECTOR**

The early warning system detects refrigerant leakage and immediately turns off the AC while simultaneously displaying the relevant error code on the indoor unit.

Available in:



for 3kW, 5kW and 6kW category

\*Hybridjet is not available with 6kW

# ESTRELLA



## FEATURES



AUTO  
RESTART



LED DISPLAY



ENERGY  
SAVER



POWERFUL  
AIR FLOW



BUILT-IN  
SLINGER



AUTO SWING



EASY CLEAN



NEXGEN  
DEHUMIDIFIER



SMART  
DIAGNOSIS



HYDROPHILIC  
BLUE FINS



SLEEP MODE



24x7 TIMER

### **NEXGEN DEHUMIDIFIER**

Mold and mildew are types of fungi which can thrive in humid areas and can pose numerous health risks. The NexGen Dehumidifier allows the air conditioner to reduce the humidity of a specific room whilst retaining its cooling capability, keeping the room at a comfortable temperature.

### **SLEEP MODE**

An energy-saving mode that gradually increases the temperature while you sleep. This slight, gradual increase in temperature, without affecting your comfort level, brings down the energy consumption of the unit, and consequently lowers your power bill.

Available in:



for 5kW and 6kW category

# ESTRELLA PRO



## FEATURES



AUTO  
RESTART



LED DISPLAY



SMART  
DIAGNOSIS



POWERFUL  
AIR FLOW



BUILT-IN  
SLINGER



AUTO SWING



EASY CLEAN



EXHAUST  
COMMAND



HYDROPHILIC  
BLUE FINS



SLEEP MODE



NEXGEN  
DEHUMIDIFIER



24x7 TIMER



### **NEXGEN DEHUMIDIFIER**

Mold and mildew are types of fungi which can thrive in humid areas and can pose numerous health risks. The NexGen Dehumidifier allows the air conditioner to reduce the humidity of a specific room whilst retaining its cooling capability, keeping the room at a comfortable temperature.

### **ENERGY SAVER**

The Energy Saver function turns the fan motor off whenever the compressor is switched off. This saves the power consumed by the fan motor.

Available in:



for 3kW and 5kW category

# ESTRA



## FEATURES



AUTO  
RESTART



LED DISPLAY



ENERGY  
SAVER



POWERFUL  
AIR FLOW



SMART TIME  
GUARD



AUTO SWING



EASY CLEAN



24x7 TIMER



SMART  
DIAGNOSIS



HYDROPHILIC  
BLUE FINs



BUILT-IN  
SLINGER



SLEEP MODE



NEXGEN  
DEHUMIDIFIER

### **SMART DIAGNOSIS**

In case of any fault in the air conditioner, this function will diagnose it immediately and turn the AC off to protect it. It also indicates protection and error code by displaying it for fast service.

### **ENERGY SAVER**


The Energy Saver function turns the fan motor off whenever the compressor is switched off. This saves the power consumed by the fan motor.

Available in:



for 5kW category

# STARR



## FEATURES



AUTO  
RESTART



LED DISPLAY



ENERGY  
SAVER



POWERFUL  
AIR FLOW



SMART TIME  
GUARD



AUTO SWING



EASY CLEAN



24x7 TIMER



SMART  
DIAGNOSIS



HYDROPHILIC  
BLUE FINs



BUILT-IN  
SLINGER



SLEEP MODE



NEXGEN  
DEHUMIDIFIER

### **ENERGY SAVER**

The Energy Saver function turns the fan motor off whenever the compressor is switched off. This saves the power consumed by the fan motor.

### **NEXGEN DEHUMIDIFIER**

Mold and mildew are types of fungi which can thrive in humid areas and can pose numerous health risks. The NexGen Dehumidifier allows the air conditioner to reduce the humidity of a specific room whilst retaining its cooling capability, keeping the room at a comfortable temperature.

Available in:



for 5kW category



\*Terms and Conditions apply. Features are subject to change.

Images shown are for reference only, actual product may vary.  
For private circulation only. Meant for reference purpose. This is not an advertisement.

For more details, please contact Carrier Midea India Pvt. Ltd. :

**REGISTERED OFFICE:** 1st Floor, Pearl Tower, Plot No. 51, Institutional Area, Sector 32, Gurgaon - 122001, Haryana.

**FACTORY ADDRESS:** Plot No. 10A, Sector 5, GC-Bawal, Rewari - 123501, Haryana.

**SALES OFFICES:** **Ahmedabad:** 079-65446300, **Bengaluru:** 080-65690550, 65690551, **Bhubaneswar:** 0674-2549893, 2549778, **Ludhiana:** 0161-5203420-30, **Chennai:** 044-66924747, **Coimbatore:** 0422-4384151, 4385403, **Ghaziabad:** 0120-6544687-94, **Goa:** 0832-2459027, 2458028, **Gurgaon:** 0124-6144300, **Guwahati:** 8811087405, **Hyderabad:** 040-66440153, **Indore:** 0731-6050014-20, **Jaipur:** 0141-5108901-05, **Kochi:** 0484-6002195 **Kolkata:** 033-65018080, 65018101, **Lucknow:** 0522-6050211-218, **Mumbai:** 022-30930200, **Nagpur:** 0712-6453790, **Patna:** 0612-2323517, 2323367, **Pondicherry:** 0413-4207262, **Pune:** 020-65600712, **Raipur:** 0771-4013245, **Ranchi:** 0651-6452488.



**SERVICE HELPLINE**  
**1800 3011 1111**